



Extract from the online catalog


CARRIER-EMP 22 (27X18)

Order No.: 0827448



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0827448>

Marker carrier for snap-in plastic labels

Commercial data	
GTIN (EAN)	 4 046356 446525
sales group	B138
Pack	50 pcs.
Customs tariff	39269097
Catalog page information	Page 82 (NTK-2010)

Product notes

WEEE/RoHS-compliant since:
08/26/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
General	
Length (b)	50 mm
Height	3.2 mm
Width (a)	29.5 mm
Color	black
Inflammability class acc. to UL 94	V2

CARRIER-EMP 22 (27X18) Order No.: 0827448

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0827448>

Ambient temperature (operation)	-40 °C ... 105 °C
Components	free from silicone and halogen
Material	PA
Diameter	22.00 mm

Accessories

Item	Designation	Description
Marking		
0825445	UC-EMP (27X18)	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0825447	UC-EMP (27X18) SR	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER
0825446	UC-EMP (27X18) YE	UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with BLUEMARK X1 and CMS-P1-PLOTTER

CARRIER-EMP 22 (27X18) Order No.: 0827448
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0827448>

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057,USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;